

1 1(currently amended). A shower head arrangement,  
2 comprising:

3 a flat profile **consisting essentially of a uniform cross section**  
4 **over an entire length integrally defining** ~~with~~ a front side and a rear  
5 side **that are** formed by front and rear walls spaced **apart** by an interior  
6 **within** ~~of~~ the profile, the rear side formed for support on a wall surface,  
7 at least one concealed fitting located in a section on the rear side  
8 of the profile and a concealed box enclosing the at least one concealed  
9 fitting, the rear wall of the profile having a cutout providing space for  
10 parts of the concealed fitting, the concealed fitting being covered by the  
11 front wall of the profile and arranged to be activated from a front side of  
12 the profile,

13 wherein the at least one concealed fitting partly extends into the  
14 interior of the profile, and

15 at least one water delivery for a shower head.

1 2(previously presented). The shower head arrangement  
2 according to claim 1, wherein the fitting is fixed on the profile.

3(cancelled).

1 4(previously presented). The shower head arrangement  
2 according to claim 1, wherein the concealed box is fixed on the profile.

1 5(previously presented). The shower head arrangement  
2 according to claim 1, wherein a side extension of at least one of the  
3 concealed box and the at least one concealed fitting is smaller than a  
4 width of the profile.

6(cancelled).

1           7(previously presented).       The shower head arrangement  
2 according to claim 1, further comprising a holding bracket for a shower  
3 handset.

1           8(previously presented).       The shower head arrangement  
2 according to claim 7, wherein water delivery to the shower handset  
3 passes through the interior of the profile through at least one of a  
4 channel formed inside the profile and a hose.

1           9(previously presented).       The shower head arrangement  
2 according to claim 1, further comprising at least a side shower head  
3 coupled to the water delivery.

1           10(previously presented).     The shower head arrangement  
2 according to claim 1, wherein the at least one concealed fitting  
3 comprises plural fittings that are concealed.

1           11(previously presented).     The shower head arrangement  
2 according to claim 1, comprising clamped-joint connections for  
3 hydraulic connection.

1           12(previously presented).     The shower head arrangement  
2 according to claim 1, wherein at least one said fitting is connected with  
3 the profile and connects with a house installation.

1           13(previously presented).     The shower head arrangement  
2 according to claim 2, further comprising a concealed box enclosing the  
3 at least one fitting.

1           14(previously presented).     The shower head arrangement  
2 according to claim 13, wherein the concealed box is fixed on the profile.

1        15(previously presented).     The shower head arrangement  
2        according to claim 1, wherein the at least one concealed fitting  
3        comprises plural fittings which separately operate shower heads  
4        coupled to the water delivery.

\* \* \*